

ALL-MASH R

Rearing pullets until the start of laying activity

- deuka all-mash R is a mature feed for feeding pullets from the 8th week of life until the start of laying.
- It is used after the chick feed (see all-mash A) and optimally prepares the pullets for laying by slowing down the growth of the hens and giving the laying organs time to develop.
- Depending on the preference or type of chick feed already used, it is available in meal form or as pellets = granulated.
- The meal form is optionally available with or without a coccidiostat to protect against intestinal coccidiosis.

Tip: All feed products at deuka that start with all-mash are complete feeds and provide your animals with all the necessary nutrients.

Ingredients

all-mash R m. Cocc.:

Crude protein	14,50 %
Crude fat	3,70 %
Crude fibre	4,00 %
Crude ash	5,70 %
Lysine	0,60 %
Methionine	0,30 %
Calcium	0,90 %
Phosphorus	0,50 %
Sodium	0,16 %
Energy	11.4 MJ ME/kg

For individual values, there may be slight deviations in content between the supplier plants.

List of ingredients

all-mash R:

Wheat, maize, sunflower extracts, rapeseed extracts, soya extracts (steam-cooked), calcium carbonate, wheat semolina bran, ZR molasses, vegetable fatty acids, sodium chloride, monocalcium phosphate

Depending on the production plant, season, availability of goods, etc., slight changes in composition may be



deuka

possible. The actual recipe and ingredients of the feed can be found on the declaration attached to each feed bag.

deuka

Vitamins

Vitamin A	9.000.00 I.U./kg
Vitamin D3	2.250.00 I.U./kg
Vitamin E	23,00 mg/kg

For individual values, there may be slight deviations in content between the supplier plants.

Trace elements

contain other trace elements

For individual values, there may be slight deviations in content between the supplier plants.

Feeding recommendation

Feed as complete feed for pullets from the 8th week of life until two weeks before laying.

Always provide fresh drinking water.