

CHICKEN / BROILER FEED

Starter, fattening and finishing feed for chickens

- The deuka Landkornfutter range consists of three special phase feeds for fattening chickens or broilers.
- With the Landkornstarter, Landkornmast and Landkornendmast, the animals receive the optimal nutrient ratio of protein and energy for the needs-based supply and rapid growth, depending on the phase of life.
- The Landkorn feeds have been developed for livestock farmers for whom animal welfare is also very important in the sense of feeding to cover requirements and is on a par with the desire for self-sufficiency with good meat.
- deuka Landkornendmast without coccidiostats concludes the fattening period and is fed in the last 5 days before planned slaughter.

Ingredients

Country grain starter gek.:

Crude protein	21,50 %
Crude fat	4,90 %
Crude fibre	3,90 %
Crude ash	5,40 %
Lysine	1,25 %
Methionine	0,55 %
Calcium	0,90 %
Phosphorus	0,60 %
Sodium	0,14 %
Energy	12.40 MJ ME/kg

Land grain fattening gek.:

Crude protein	20,00 %
Crude fat	5,00 %
Crude fibre	3,30 %
Crude ash	4,90 %
Lysine	1,05 %
Methionine	0,50 %
Calcium	0,80 %



deuka

Phosphorus	0,50 %
Sodium	0,14 %
Energy	12.40 MJ ME/kg

Land grain fattening gek.:

Crude protein	21,00 %
Crude fat	5,00 %
Crude fibre	3,00 %
Crude ash	5,00 %
Lysine	1,15 %
Methionine	0,50 %
Calcium	0,80 %
Phosphorus	0,55 %
Sodium	0,14 %
Energy	12.4 MJ ME/kg

For individual values, there may be slight deviations in content between the supplier plants.

List of ingredients

Land grain starters kibbled:

Wheat, maize, soybean meal, steamed, soybeans (steamed), calcium carbonate, soybean oil, monocalcium phosphate, sodium chloride (*coccidiostat*)

Country grain fattened:

Maize, wheat, soybean meal, steamed, rapeseed meal, vegetable fatty acids, soybeans (steamed), calcium carbonate, palm oil, monocalcium phosphate, sodium chloride (*coccidiostat*)

Country grain fattening gek.:

Wheat, maize, soya extract meal (steamed), rape extract meal, calcium carbonate, vegetable fatty acids, monocalcium phosphate, sodium chloride (*without coccidiostat*)

Depending on the production plant, season, availability of goods, etc., slight changes in composition may be possible. The actual recipe and ingredients of the feed can be found on the declaration attached to each feed bag.

deuka

Vitamins

Vitamin A	10.000.00 I.U./kg
Vitamin D3	5.000.00 I.U./kg
Vitamin E	80.00 mg/kg

For individual values, there may be slight deviations in content between the supplier plants.

Trace elements

contain other trace elements

For individual values, there may be slight deviations in content between the supplier plants.

Feeding recommendation

Land grain starter k.:

Feed as complete feed for free intake to broilers in the first 7-14 days of life (with coccidiostat!).

Landkornmast gek:

Feed as complete feed for free intake from the 15th day of rearing until 5 days before slaughter (with coccidiostat!)

Fattening of fattened land grains:

Feed as complete feed for free intake in the last 5 days before slaughter.

Always provide fresh drinking water.