



LAYING MEAL SB / LAYING GRAIN SB

Supplementary feed for laying hens in the small pack

- deuka laying meal SB as a structured meal and laying grain SB as a pellet supplement cereal-based rations for laying hens with protein and calcium for eggshell formation.
- Combined 2:1 with a grain feed or cereal, they provide a complete ration for your ready-to-lay hens.
- Both feeds are available in practical 5 kg bags (SB = Small Bags).
- Both feeds are free from genetically modified components.

Ingredients

Laying meal SB

Crude protein	20,00%
Crude fat	3,80%
Crude fibre	2,80%
Crude ash	17,10%
Lysine	1,05%
Methionine	0,45%
Calcium	5,50%
Phosphorus	0,60%
Sodium	0,30%
Energy	10.20 MJ ME/kg

Laying grain SB

Crude protein	20,00%
Crude fat	2,90%
Crude fibre	3,60%
Crude ash	15,20%
Lysine	1,05%
Methionine	0,45%
Calcium	5,25%
Phosphorus	0,45%
Sodium	0,20%



Energy	10.20 MJ ME/kg
--------	----------------

For individual values, there may be slight deviations in content between the supplier plants.

List of ingredients

Laying meal SB

Soya extruded meal (steam fermented), maize, wheat, calcium carbonate, vegetable fatty acids, Ca-Na-phosphate, sodium chloride, monocalcium phosphate

Laying grain SB

Wheat, soya extruded meal (steamed), maize, calcium carbonate, sunflower extruded meal, vegetable fatty acids, Ca-Na phosphate, sodium chloride,

Depending on the production plant, season, availability of goods, etc., slight changes in composition may be possible. The actual recipe and ingredients of the feed can be found on the declaration attached to each feed bag.

deuka

Vitamins

Vitamin A	14.900.00 I.U./kg
Vitamin D3	3.600.00 I.U./kg
Vitamin E	30.00 mg/kg

For individual values, there may be slight deviations in content between the supplier plants.

Trace elements

contain other trace elements.

For individual values, there may be slight deviations in content between the supplier plants.

Feeding recommendation

Feed in a ratio of 2:1 with Grains Extra, Grains Deluxe or cereals two weeks before the start of and during the laying period. Towards the end of the laying period (shortly before moulting) and also generally with older laying hens, supplementary feeding of oyster shells in a separate feed container can be useful.

Ideally, laying meal / laying grain should be fed in the morning before the laying period and grain feed in the evening. The daily requirement for a modern laying hen (hybrid with approx. 1.5 kg body weight) is approx. 120 grams per bird per day. This means 80 g of laying meal/legged grain plus 40 g of grain feed per bird and day.

Always provide fresh drinking water.